November 16-20, 1963	(Sibley) Summary: "Cats only - one per night - jumpy."
Nov. 16, 1963	(Bratley) Saw four cats which were very scared.
July 11-16, 1963	(Sibley) Summary: Cats not seen for first two nights and then 2-3 seen each night thereafter.
February 29, 1964	(Huber): "and chased one cat down."
March 2, 1964	(Sibley) Summary: "One cat run to death."
July 14, 1964	(Sibley) "Huber shot one of two cats seen. A third cat seen during day in Red-footed Booby Colony."
July 15, 1964	(Sibley): "Huber killed one yellow female in buildings near lighthouse by digging it out. I killed one gray female (6 developing fetuses) near the tern colony. It ran only a short way before giving up."
July 16, 1964	(Sibley) Pers. com no cats seen.
October, 1964	(Sibley) No cats seen.
Feb. 12-17, 1965	(Hackman) "During the first portion of the island survey two dead birds were found on which the breasts had been eaten off. No other parts of these two birds had been eaten off. This looks suspiciously like the work of a cat."
May 30-June, 1965	(Fleet) Spam Island - collected 8 rats Rattus exulans
Oct. 1-3, 1965	No mammal report at all
April 1966	Reports that previous SIC trips have exterminated all mammals from island.

WEDGE TAILED SHEARWATER

July 16, 1964: Sibley -- "Saw a pair of Wedge-tailed Shearwater on guano mound one light and one dark. Start of a burrow."

July 14-17, 1964 ---- Sibley summary: "A light and a dark phase bird were seen excavating a burrow in the guano heap on the 16th and the dark phase bird was banded the next night."

HA- February 12-16, 1965: Hackman - summary; l seen offshore at dusk on February 16

none seen on any other trip trhough SIC # 8 1/1/

SANDERL ING

Nov. 16-20, 1963 ---- Sibley: "1 seen several times. "

Nov. 11, 1964 ----Sibley: "2 seen"

Feb. 12-16, 1965 -- Hackman, summary: 6 counted on an island circuit.

none seen on 2,4,5,89,1/

ENDERBURY

Birds-annotated list

CRESTED TERN

July 14-17, 1964 ---- Sibley summary: " 2 seen on 3 occasions."

none see 2,3,4,6,7,89,11

SHARP*TAILED SANDPIPER

13

Nov. 16-20, 1963 ---- Sibley: " 6 seen, 1 collected."

Feb. 27-Mar.2, 1964 -- " 1 collected. "

none see on Trip 2,5,6,7,8,11

Sic 9 oct 1-3, 1965 (Fleet) counted 4 lunds
Woodward shot 2

COMMON NODDY TERN

July 11-16, 1963 ---- Sibley: " 150-200 birds on islands in lagoon. 12-15 nests

half with eggs, half with young. Islands up to an acre in size

provide large areas of suitable habitat for term nesting. "

Nov. 16-20, 1963 ---- Sibley: "Estimated 300 adults -- all in central lagoon area. 7 nests with eggs, and 17 young.

Nov. 19. 1963 ---- Sibley: "Common noddies on 6 islands and 3 islets."

Heb. 27- Mar. 2, 1964- Sibley: "Estimated 200 - 9 nests with eggs on small islands

July 14-17, 1964 ——— Sibley summary: "100-200 nest, on islands in lagoon.

No nests on main island."

November 9-12 1964 ---Sibley summary: "4 nestlings banded. Estimated

150 birds. Estimated 15 nests with eggs, 8 nestlings."

February 12-16, 1965 -- Hackman, Su mary: 200 birds roosting and nesting on islæts in the lagoon. 26 nests with eggs, ll with small chicks, 7 with large nestlings.

May 30-Junel, 1965 - Sibley, summary: Estimated 500 adults. 1 collected. Eggs and young present. Fcs all nests in lagoon on islands.

9. Oct 1-3 (1965 - Fleet) mone seen)

Sic 11. Common NoDRY Enderbury clotand Teb 15, 1966 (Crossin) about 100 were abserved on the island, mainly about the lagoon and on the pauth end. No nesting was in progress.

FAIRY	THEN
-------	------

July 11-16, 1963 --- Sibley: "2-6 seen every day. "

Nov. 16-20, 1963 ---- Sibley: " Estimate of 8-10 "

Feb. 27-March 2 1964 -- Sibley: " Maximum of 8 seen at one time near the guano heap."

July 14-17, 1964 ---- Sibley summary: " Maximum count of 9."

November 9-12 1964 -- Sibley summary: "9 seen (around lagoon), 1 banded!

February 12-16, 1965: - Hackman, Summary: five seen at one time nesar Cordia grove in the interior of the island.

Feb. 13, : one pair on island in grove of Messerschmidtia in center of island.

May 30-Junel, 1965: Sibley, summary: Count of 7. One nest with egg, one with nestling.

May 31 - Sibley, species account: One nestling and one egg found in the Cordia grove near the guano heap. 7 counted.

9. 0 et 1-3, 1965 (Fleet) total of 10 birds seen mostly
in trees, atthough one pair was seen
on rocks at southern end.

11 " (BAH) no evidence of nextings

(saw 5 pair)

Sicil FAIRY TERN Enderbury desland Feb-15, 1966 (Crossin) - 2 individuals noted. SOOTY TERN

July 11-16, 1963 ---- Sibley: "Large flocks just starting to set down on the ground.

On the 13th could find only a few to band. On the 15th the ground Cat 2000 605

was covered with 100's of birds. One colony between lagoon and

guano heap. Another on area of coral rubble at south end of island.

Nov.16-20, 1963 --- Sibley: "Large flocks in evening over island (3000 *)

As many as 500 sitting on ground during the day but none at night.

Feb. 27- March 2, 1964 - Sibley: "Up to 7000 to 10,000 birds over island. Several thousand sitting on ground for short periods."

July 17, 1964 ----- Sibley: (At night) "Terns were all on eggs and sat very tightly."

banded. 3 colonies totaling 50,000 at night, about tree

that that or less in the day. All three colonies on

[5,000]

fresh eggs. A small group with 60 young about to fledge

had nested in the lagoon area. "

November 10, 1964 ---Sibley: "One fresh (still wet) egg found in large group..."

November 11, 1964 --- Sibley: "Estimated over 3000 in 3 scattered groups.

A few nestlings still left. A number of immatures #

still left."

November 9-12 1964 --- Sibley summary: "2 collected, 51 banded, 20 blood samples. Estimated 10,000. About 3,000 on ground.

1 fresh egg. Numerous immatures and a few nestlings."

February 12-16, 1965 — Sibley, Hackman, summary: estimated 85,000 plus in 5 colonies all with freshly hatched chicks and ergs. 2 collected. 4351 banded, 10 returns.

February 12, 1965 - Hackman, species account: 50 blood samples fromme a small colony on the south end of the island. This colony, about 1,000 birds, had young just emerging from eggs late in the afternoon. Birds were captured with nets from the fringe of the colony. Hermit crabs were observed attacking several chicks before they had completel, emerged from their eggs.

Feb. 12-16: Total population 85,000 plus in 5 distinct colonies: e on south end of island, 3 along west shore on north end of island. 4 groups with eggs and freshly hatched chicks, 1 group with ½-3/4 grown nestlings. 4351 banded, 10 returns. Almost all adults banded were captured with hand nets. After the initial time the colonies were not entered because of an extremely high mortality rate among freshly hatched chicks due to large numbers of hermit crabs.

Feb. 12 - sampled aloo birds for 50 samples - south end of island.

Feb. 13 " At 5 PM we packed up some gear and headed toward the Sooty Term colonies on the north end of the island. By using nets we were able to band 600 adults before dark. After dark we tried picking birds up off of their nests but the moon was far too bright so we returned to our nets and did an additional 300 birds. It wasn't long before we reakized that only one small part of the colony near the guano yeap was actually on eggs. Most of the birds were on freshly hatched chicks, shich rapidly rell prey to the very abundant Hermit Crabs. Once this was discovered we quickly finished up the loose bands and moved out of the colony completely.



May 30-June 1, 1965 -- Sibley, summary: Estimated 40,000 only a few on the ground.
900 banded with 19 returns. 40 blood samples, 6 collected.

May 31, - Sibley, species account: O e large group (5,000) on ground. Several

NA WARREN

other groups circling various areas of the island. Soveral immatures still present around the guano heap. 900 banded, 19 returns. Estimated 30-40,000 in various flocks.

9 Oct 1-3, 1965 (Fleet) - colony - almost all were
flying immatures (about 4000)

saw 20± flying over.

""" (BAH) at end of breeding cysle, alf

nestlings appear able to fly.

3000 - 4000 locals present. Many
adults at night. Colony mostly in

Sida:

1964 June 15 - eggs layed [earlies 5]
Llangest possible
Aug. SJuly 15 - hatched sept. 15 - fudged Nov. 15 - last 1965 Jan. 10- first laying

less Than I month of laying

Feb. 10- first chick April 10 - Aladged May 10 - none June 15 - new nesting started?? more beed percelat GBT 440 1943 194 740

of T. dis

٠٠ - <u>ن</u>

1005

SOOTY TERN SICIL Enderbury chaland Feb 15, 1966 (Crossin) - Swell of up to 5,000 were noted just behind the light house on evenings of 14 x 15 Feb. about 200 more noted sitting on the west share of the layour. Not yet with eggs. BLUE GRAY NODDY

July 11-16, 1963 ---- Sibley: "2 seen on the 13th. 2 seen and one collected on the 16th.

3 Nov. 16-20, 1963 ---- Sibley: " 1 seen at lagoon. "

Feb. 27-Mar.2, 1968 -- Sibley: " count of 10 around central lagoon. "

July 14-17, 1964 ---- Sibley summary: " Maximum count of 9."

November 9-12 1964 -- Sibley summary: "9 seen" (around lagoon)

Feb. 12-16, 1965 - Hackman, summ ry: a few seen roosting on Sesuvium.

estimated 15-20.

February 14- Hackman, species account * About 10 using the island at night.

May 30-Junel, 1965 - Sibley, summary: Maximum of three seen.

8 May 30: 1 seen

May 31: 3 seen

June 1: 2 seen

9 Oct 1-3, 1965 - (Fleet) total of 4 seen flying.

1 1 (BAH) - saw 2 individuals - no-evidence of nesting.

BLUE GRAY NODDY TERN Sicil Enderburg cledand Feb 15, 1966 (Crossin) - two birds noted on West side of the island.

SIC 11 Paraic Duck. Enderbury Island Feb 15, 1966 (Crossin) 3 seen in morthern most

gond m center of aslands, all

appeared to be females.

HAWAIIAN NODDY TERN

July 11-16, 1963 ---- Sibley: "Nesting and roosting in grove of trees around estimated guano heap. 50 some nests, a few with chicks. 158 adults of 500 * banded.

Nov. 16-20, 1963 ---- Sibley: "Estimated 1000. All concentrated in trees near guamo heap. 2 nests with eggs."

Feb. 27- Mar. 2, 1964 - Sibley: "Estimated 1500. 15 nests with 1 egg, 1 with small young. All located in Cordia grove near guano heap.

Feb. 28, 1964 ----- Clapp: "Northern black noddy colony(750-1000 birds) contained

15 nests with eggs. (apparently quite heavily incubated.) There

was also a young bird near fledging. "

July 14-17, 1964 ---- Sibley summary: "600-1000. Spend all day at sea and then return in flocks of 100 or more just before dusk.

No nesting."

November 9-12 1964 --- Sibley summary: "16 adults and 4 nestlings banded.

Estimated 700 adults. 16 nests with 1 egg, 4 nestlings!

February 12-16, 1965 - Hackman, summary: estimated 4,000 roosting in Cordia near guano heap. 15 nests with eggs. 1 small nestling and 14 adults banded.

February 13 - Hackman: At dusk tonight the Hawaiian Noody Terns came in off of the ocean in large low-flying flocks numbering between 50 and 500 birds. Flocks were still coming in bong after the last light of the sun had faded.

May 30-June 1, 1965 - Sibley: summary: Estimated 800-1000. 3 collected, 2 band returns. All roosting in Cordia grove. 2 hests with eggs. 4 other banded birds seen.

Sic911 Hawaiian Modely Term Enderbury clasand Mil 15, 1966 (Crossin) about 500 were roosting in the Cordia grove on NoW. side of island, Old nests were present but no current nesting was in progress. Oct 1-3 1965 (Eleet) 10ezs - 8 mestlengs Deen. Many proosting burds present.

On Oct 2 - pawaflock of about 2000 birds.

"" " (BAH) less than 15 breeding in bushes near the quano pile.

GRAY BACKED TERN

July 11-16, 1963 ---- Sibley: "scattered nesting colony near Sooty colony at estimated northern end. Several hundred nests. 5-10 chicks, rest of birds on eggs --"

Nov. 16-20, 1963 ---- Sibley: "Common in lagoon -- very few outside this area.

27 bandable young. found. No eggs. 26 nestlings banded.

Estimated 3,000 birds roosting on islands and salt pan in lagoon."

Nov. 19, 1963 ----- Sibley: "Grey backs on 1 island and 1 islet."

4 Feb. 27- Mar. 2, 1964 - Sibley: "Estimated 200 - 3 mggs on small islands."

July 14-17, 1964 ---- Sibley summary: "100-150 with eggs and 200 young about to fly. All these nests on the main island. A few others on lagoon islands. 1500 adults est."

November 9-12 1964 ----Sibley summary: "5 adults and 1 nestling banded.

Estimated 1,000. Less than 20 nests with eggs. Only
the 1 nestling seen."

February 12-16, 1965: -- Hackman, Summary: 500 along east shore of lagoon, a few on eggs. 5? with fcs

February 15, 1965: -- "we did not find any Gray-backed Term nests on the islets in the lagoon.

May 30-June 1, 1965 - Sibley, Summary: Estimated 1,000. 80 adults and 20 nestlings banded. 3 collected.

May 31, Sibley- species account: Scattered colonies - all outside the lagoon islets. 80 adults and 20 nestlings banded. 3 collected, estimated 1,000.

9. Oet 1-3, 1965 - (Fleet) about 50 adults seen, near RTTB houses. (BAH) - small group of 50 buils on flat area near W side of island.

GRAY BACKED TERN S1011 Enderbury closand Feb 15, 1966 (Crossin) - estimated 2,000 birds mainly confined to the lagoon share area . Two nests with eggs were found on the 14 Feb.

BRISTLE THIGHED CURLEW

- July 11-16, 1963 ---- Sibley: " maximum of ten at one time. (total population 2 to 4 times as many.) est 30
- Nov. 16-20, 1963 ---- Sibley: " flock of 10 -- estimate 30"
 - Feb. 27- Mar. 2, 1964- Sibley: "count of 30."
- July 14-17, 1964 ---- Sibley summmary: "Maximum of 10 at one time. 15-20 on island."
- Nov. 9-12 1964 -----Sibley summary: "Estimated 40, 1 banded."
- 7 February 12-16, 1965 -- Hackman, surmary: 44 counted on an island circuit
- 8 Nay 30-June 1, 1965 Sibley, summary: present 20??
 no count made flock of 16 seen.

9. 6ct 1-3, 1965 (Fleet) shorline court showed 64.

"" " (BAH) - "a good number present, but epreadout"

One bird caught that was extremely emaciated.

Sie 11 BRISTLE THIGHED CURLEW Enderbury abstand Feb 15, 1966 (Crossin.) thinly distributed over entire island. (Count -35)

WANDER ING TATTLE	R
-------------------	---

- July 11-16, 1963 ---- Sibley: "groups of 2 and 3 seen regularly. (total pop-
- ulation 2 to 4 times as many.) est 10
- Nov. 16-20, 1963 ---- Sibley: "estimated 30"
- Feb. 27-Mar. 2, 1964 Sibley: "count of 7 "
- July 14-17, 1964 ---- Sibley summary: "15 plus or minus, maximum of 5 at one time. "
- November 9-12, 1964 --- Sibley# summary: "Estimated 40"
- February 12-16, 1965 Hackman, summary: 61 counted on an island circuit.
- May 30-June 1, 1965 Sibley, summary: present 16??? no count made - present in small numbers

9. Oct 1-3, 1965 (Fleet) count held in 2 sections " " (BAH) - saw less than 15 individuals "

S10 11 Wandering Tattler Enderbury closland Feb 15, 1966 (Crossin) - thurly distributed over entire island. (Count 74)

RUDDY TURNSTONE Sic 11 Enderbury chsland Feb 15, 1966 (Crossin) - Found most commonly along The lagoon and share lines, but small flocks and singles were noted over most of the island, (Count-627)

RUDDY TURNSTONE

- July 11-16, 1963 ---- Sibley: "maximum group of 12 seen. (total population
 - probably 2 to 4 times as many.)" Est 36
 - flock
 - Nov.16-20. 1963 ----- Sibley: ***** of 30 estimate 60"
- Feb. 27- Mar. 2, 1964 Sibley: "count of 201"
 - July 14-17, 1964 --- Sibley summary: "200 plus or minus. One flock of over
- July 15, 1964 ------ Hackman: "Shorebirds were abundant for some reason.

 Ruddy Turnstones were observed in flocks ranging in size from
 8-100. "
- Nov. 9-12 1964 ----Sibley summary: "Estimated 350 count 219 on shore
- February 12-16, 1965 Hackman, summary: 553 communited on an island circuit.
- May 30-June 1, 1965 Sibley, Summary: present 60??

no count made - Present in moderate numbers. Flocks of 5-10seen several times

9. Oct 1-3, 1965 (Fleet) Sharebuid Count = 302 (in 2 sections)

GOLDEN PLOVER

- July 11-16, 1963 ---- Sibley: "groups of 8-10 seen regularly (Total population 2 to 4 times as many) " Est. 30
- Nov. 16-20, 1963 ---- Sibley: " all shorebirds uncommon Estimated 30. "
- Feb. 27-March 2, 1964 Sibley: " count of 109"
- July 14-17, 1964 ---- Sibley summary: "10 plus or minus. Maximum of three at one time."
- Nov. 11, 1964 ----Sibley: Count 122 along shore only very few in lagoon at this time but large numbers present inland."

 November 9-12, 1964 ---Sibley summary: "Estimated 200"
 - February 12-16, 1965

 / Hackman- Summery: 78 counted on an island circuit.
- 8 May 30-June 1, 1965 Sibley, summary: present 30??
 no count made present in small numbers.

9 Oct 1-3, 1965 (Fleet) - sharebild count = 89 in 2 sections)
" " (BAH) abount around lagoon areas. The
birds present were primarily in the Sesewiim
flats.

S'10 11 GOLDEN PLOVER Exclerbury clsland Feb 15, 1966 (Crossin) distributed-thinly over island, concentrations on east shore. (Count-544)

LESSER FRIGATE

July 11-16, 1963 ——— Sibley: "Restricted to 4 or 5 more or less continuous groups between lagoon and house. As on Howland, colony packed in wing to wing with only a few sticks or grass for nests. Feet too small for 7B band. One nest in with Great Frigate colony —— about 2 ft. up in tree. Complete nest count taken: 3674 nests with eggs, 1256 nests with chicks. Total 4930.

Nov. 15-20, 1963 ---- Sibley: "Adults uncommon as for minor. Concentrated along

SW corner of lagoon. Estimated 1300 large nestlings, I small

nestling, no eggs. 1138 nestlings banded. No frigates were seen chasing any boobies although a few were seen feeding with

Brown Boobies."

Feb. 27- Mar. 2, 1964 --- Sibley: "Estimated 500 (mostly immatures) 4 nests with eggs on 28th, 4 more on the 1st. at the edge of the Great Frigate colony -- a stick nest instead of the usual bare ground laying.

387 bands recovered (95% accurate.)

July 14-17, 1964 ----- Sibley: "Two large colonies. One near the Greater

Frigate colony and the other behind the house. First had

numerous young (4000 nests) second had mostly eggs (1000 nests)

Estimated 15,000 adults. Nests in some cases identical to

those of low nesting Greater Frigates. 10 blood sample.

July 15, 1964 ------ Hackman, : "There were considerably more Lesser

Frigates with elevated nests on the edge of the Greater Frigate

colony than were observed on the last trip. The nests, pedestal

like in form, are all about 1 foot high. "

LESSER FRIGATEBIRD (2)

November 11, 1964 --- Sibley: "500 nestlings banded in colony near Great

Frigatebird colony on W side. Estimated 1,000 nestlings here. 800 in group near house. A few nests

found in Messerschmidia trees."

Nov. 9-12 1964 --- Sibley summary: "89 adults, 1011 nestlings banded.

Estimated 1800 nestlings, 20 nests with eggs. 6000 adults and immatures."

Feb. 12-16 Hackman, Summary: Not nesting at present. Estimated 500 adults 1965
and immatures using the island at present.

February 13, Hackman spedies account: About 200 adults and immatures flying around island. No nesting activity observed.

May 30-June 1, 1965 - Sibley, summary: 40 blood samples. Estimated 4000 nests, 50/50 eggs and young.

May 31 - Sibley, species account: Two jars of egg white collected. 1000 plus birds in colony just east of the Greate Frigate colony. Estern part on fresh eggs. Western part on fresh eggs. With chicks. Ne ts 4 plus feet apart. Estimated 4000 nests, half with nestlings. Numbrous fresh eggs found.

9. Oct 1-3, 1965 (Fleet) - nest count (493 nests)

9. 11 11 BAH - Count showed approx 500 nestlings.

Sicil Lesser Frigate Enderbury Asland Feb-15, 1966 - (Crossin) - 300 flying immatures gresent scattered about the west end of the Sheat Frighte colony. Posited mainly on the ground or low vegetation. 3 adults seen might of the 14th one or had an enlarged throat

GREAT FRIGATEBIRD

Nov. 16-20, 1963 ---- Sibley: "Adults uncommon. About 1/4 enough (for number of) nests seen. Concentrated in large colony on West Side with a few scatterred around the island. Nest survey -- 46 nests with eggs, none with small young, 387 large young, (63 of these still in white down). 2 immatures and 356 nestlings banded.

Feb. 27- Mar. 2, 1964 - Sibley: "Estimated 1500-2000. 77 nests with eggs, 1 small young, 1 large young. 100's of fresh nests. Males with throat

July 14-17, 1964 ----- Sibley summary: "Scattered colonies all along west side with the major colony at the tree clump on west side. Most of young small. Nests in open were only a few inches off the ground in Sida, Portulaca, or other slight elevation. 50 males and 50 females banded. Nest Count:

	Area 2					
	Area 1	Tree colony	Rest of area	Total		
l egg	333	785	86	1204		
young	308	600	40	948		
	641	1385	126	2152		

Estimated 5000 adults.

sitting upon the egg. "

July 15, 1964 —— Hackman: " Found an abnormal Greater Frigate egg while making the nest survey. The egg was about 1/3 normal size and was oval rather than the normal oblong shape. The egg was broken open and found to have no yolk. A male had been tenaciously

Nov. 11, 1964----Sibley: "...large colony on west side. Numerous immatures present..."

Nov. 9-12, 1964 ---Sibley summary: "2 collected, 20 blood samples, 500 nestlings banded. Estimated 3,000. 19 nests with 1 egg, 1115 with young, over 1,000 immatures."

Feb. 12-16, 1965 --- Hackman Summary: 1310 nests with eggs, 21 nests with small nestlings. Many eggs pipped. Estimated 6,000 adults and immatures. 293 banded and marked with plastic streamers on each wing (blue on right wing and white on left) 2 band returns also marked with streamers).

Tebruary 13, Hackman: blood sam led 25 Greater Frigatebirds...The Greater Frigatebirds are on fresh eggs in the main colony and in the smaller colonies that are located in the interior along the south eend of the lagoon. There are few nestling frigatebirds on the island.

May 30-June 1
Sibley Summary: 30 blood samples, 3 collected. 825 nests with eggs, 952 with young. Estimated 4000 birds.

Sibley - species account: May 30 - nest count southern third of island (i.e. south from lighthouse around to area on east shore opposite house) 173 nests with eggs, 185 ith small young, 18 with large young plus 11 other nests

May 31: - house to frigate colony count - 78 nests with eggs, 60 with small young

90 ith large young.

May 31 - Sibley, species account: Count of frigate colony - 566 nests with eggs, 373 with small young, 134 with large young.

Count of from Frigate colony to Guano heap: 8 nests with eggs, 33 with small young, 22 with large young.

Two birds with a white streamer on the left wing and a blue streamer on the right wing seen.

9. Oct 1-3, 1965 - (Fleet) nest count (- 1858 - 47)

Som nestl - 346

(lg. nestl. - 331)

11 " (BAH) - common breeder in bushy areas

near the guano.

11 (Kepler) - Banded (25) freat numbers

seen flying over island.

Enderbury obsland.

Feb 15, 1966 - Prossin - concentrated in one colony on W side of island in the Messerschmidia grove. About # 5000 if colony - but island pop. probably between 3-4000 o '73 of pop. appear to be immatures. What adults are starting their new nesting cycle o 75 nests present in manical colony -50 of these had fresh eggs.

All nests built in Messerschmidia bushes (9) mests present in south end of the island built on Sido clumps only a few inches from the ground. All contained fresh eggs.

RED FOOTED BOOBY

Nov. 16-20, 1963 ---- Sibley: "Common in various clumps of trees. 41 nests with eggs
40 nests with small young, 217 large young. Total (298) Estimated
1200-1500 adults. 140 immatures, 3 subadults, and 217 nestlings
banded.

Feb. 27- Mar. 2, 1964 - Sibley: "Estimated 500* - 27 immatures banded. 34 immature returns. No nesting. Roosting birds distributed as during nesting.

July 14-17, 1964 ---- Sibley summary: Distributed as on previous trips.

222 adults and 209 nestlings banded with 8\$ 87 returns and

2 recoveries. Nest Count.

	Southern tree	Frigate colony west side	Guano heap	Total
l egg. small young large young	70 88 <u>159</u>	33 47 49	10 9 40	113 144 248
total	317	129	59	505

Estimated 1500 adults.

Nov. 9-12, 1964 ----Sibley summary: "2 collected, 20 blood samples.

63 adults, 35 immatures and 225 nestlings banded.
44 adult and 24 immature returns. Estimated 800
birds on the island. 34 nests with 1 egg, 29 nests
with small young, 229 nests with large young."

FED*FOOTED BOOBY

February 12-16, 1965 G- Hackman, Summary: 185 nests with eggs, 150 nests with young. 369 banded, 248 returns. Estimated 1200.

/ F bruary 12 - Hackman (species accounts): 320 nests (185 with eggs, 150 with chicks).

Nests on Enderbury contained fr esh cuttings of Cordia, both blossoms and leaves

May 30-June 1, 1965 - Sibley, Summary: 20 blood samples. 159 banded, 129 returns. E timated 1000-1200 adults. 202 nests with eggs, 189 with young.

May 30, 1965 - Sibley (species accounts) - "southern colonies" 1 egg (94) small young (32), large young (123). 20 blood samples, 8 returns.

May 31, 1965 - Sibley (species account): Nest count completed.

"Great Frigate colony area - 1 egg (66), small young (5), large young (15).

Guano heap colony " - 1 egg (42), small young 6), large young (8). Banded the above two colonies after dark. 17 neutlings, 12 immatures, 2 subadults and 128 adults banded. 90 adult, 22 immature and 9 subadult returns.

9 Oct 1-3, 1965 (Fleet) nest count (-/ess - 121)
sm. nestl. - 21
one adult defended (ly nestl - 178)
its nest when approached.

"I" (BAH) a very common breeder in the presently bush covered areas as well as in areas great frigate nextling.

Sic 11 Red Footed Booly Enderbury Asland Feb 15, 1966 (Crossin) - present in three different concentrations (1) SE side of lagoon DW side of lagoon in Messerschmidia grove, mijed with Skeat Frigates (450 present here) (3) only about 25 pair had nests all with eggs. (3) third small group of 100 hvids in Cordia grove. 12 nests with eggs present

Many wing for

Auduboh Shearwater

6 November 10, 1964 ---- Sibley: "Two seen at dusk coming ashore."

February 12-16, 1965 --- Hackman, summary: Four birds seen (1 collected, 2 banded) on the guano pile on north end of island.

Woodward - Feb. 16, 1965 --- I found one Audubon's on top of the pile.

Feb. 13, 1965 --- Huber banded 1 Audubon's Shearwater and collected one.

May 30 - June 1, 1965 --- Sibley, summary: Two seen.

May 31, 1965 - Sibley: Two seen at 1900 over west side of island.

none seen on Trips 3,3,4,5寒11

9. Oct 1, 1965 (Kepler) saw one while on watch (0800-0900)